स्थानीय सरकार Local Government महावै गाउँपालिका



Mahawai Rural Municipality

गाउँ कार्यपालिकाको कार्यालय





कर्णाली प्रदेश, नेपाल Karnali Province, Nepal

गैराखाड़ा कार्लीकोट Garakhada Kalikat

U.स. (Ref.No): 20℃2/0℃3

<u>क्याटलक सपिङ्ग विधिवाट सवारी साधन खरिद गर्ने सम्बन्धि स्चना</u> (प्रथम पटक प्रकाशित मिति २०६२/०४/२५)

सुचना नं. MRM/KKT/CS/01/2082/83


यस गाउँपालिकाको लागि आवस्यक रहेको चार पांग्रे डबलक्याब पिकअप जिप खरिद गर्नको लागि सार्वजिनक खरिद ऐन २०६३ (संसोधन सिहतको) दफा ८ उपदफा १(क) को (८) तथा सार्वजिनक खरिद नियमावली २०६४ (बाह्रौ संसोधन सिहतको) नियम ३१ (ख) वमोजिम उत्पादक कम्पिन वा सोको आधिकारिक बिक्रेताहरू बीच मात्र प्रतिस्पर्धा गराउने (क्याटलक सिपे विधि) वाट खरिद गर्नु पर्ने भएकाले तपिसल वामिजिमको कागजात राखी यो सूचना प्रकाशित भएको मिति वाट सात (७) दिन भित्र सिलबन्दी प्रस्ताव दर्ता गर्नु हुन सम्बन्धित सबैको जानकारीको लागि यो सूचना आह्रान गरिएको छ । पेश गर्ने अन्तिम दिन सार्वाजानिक विदा पर्न गएमा विदा पिछ लगत्तैको कार्यालय खुलेको दिन पेश गर्न सिकने छ ।

तपसिल :

कम्पनि वा आधिकारिकताको प्रमाणपत्र, प्रमाणपत्र नवीकरण गरेको पत्र, मूल्य अभिवृद्धि कर प्रमाण पत्र, आ.व.२०८१/८२ को कर चुक्ता प्रमाण पत्र वा म्याद थप पत्र, उक्त प्रकारको सवारी सप्लाई गरेको विवरण, सम्बन्धित कार्य अनुभव पत्र, उत्पादनको आधिकारिक प्राविधिक स्पेसिफिकेसन, गुणस्तर तथा सुविधा सहितको विवरण, स्वो घोसणा पत्र र आपूर्तिकर्ता गाउँपालिकामा सुचिकृत भएको हुनुपर्ने छ ।

ऋ.स.	उपकरणको नाम इकाई			कैफियत							
٩.	चार	पांग्रे	٩	स्विकृत	टेक्निकल	स्पेसिफिकेसन	वमोजिम	हुनु	पर्ने	छ	ाटेक्निकल
	डबलक्याब	पिक	(एक)	I		॥उँपालिकाको वे	बसाईट <u>w</u>	ww.ma	a <u>hawa</u>	imun	.gov.np मा
	अप भ्यान ।			हेर्न सिक	न छ।						0





MAHAWAI GAUPALIKA

Technical specification of 4WD double cab pickup

S.N.	Criteria	Requirement	Offered Specification
1.	General	Four doors. Right Hand Drive. Four Wheel drive pick-up suitable to operate in rough and hilly road condition of Nepal. Gross Vehicle Weight of the vehicle shall not less than 3000 kg and shall have total seating capacity for at least 5 persons including driver.	Standard Unit
2	Engine	Four Stroke. Four Cylinders. Turbo charged diesel Engine. Engine Displacement not less than 1900cc. Developing Max. Rated power output not less than 110 KW at governed RPM. Max. Rated Torque output not less than 320 Nm at governed RPM.	
3.	Emission Standard .	The Emission Standard of the vehicle should be capable of meeting applicable Nepal Vehicle Mass Emission Standard 2069 which must be certified by Department of Transport Management, Nepal.	
4.	Gauges	To include Speedometer, odometer, temperature, fuel gauges, Signal for 4WD.	
5.	Dimensions(L*W*H)	Below 5100*1800 *1900mm.	
6	Transmission	Auto/Manual shift at least Five (5) forward and one reverse, floor mounted.	
7.	Turning Circle Radius	Not more than 6.7m	
8.	Ground Clearance Fuel Tank Capacity	Not less than 220mm. Not less than 60 liters	
9. •	Suspension	Leaf springs/ coil spring	
10.	Tires	Standard radial size.	
11.	Steering	Power assisted.	
12.	Brakes	Front disc type, rear drum/disc type hydraulic operated on all wheels and parking brake.	
13.	Body/Cab ·	Four side doors, All metallic cab with roof. Laminated /tinted glasses windscreen. Front windscreen washers and wipers, comfortable seats for driver and copassenger. Two sun visors and two side view mirrors, with ac fitted.	









14.	Chassis and frame	Steel, heavy duty suitable for rough road conditions.	
15	Essential Accessories	1. Tail light, rear light, reversing light and turn signals. 2. Cabin lights. 3. Spare wheels. 4 Seats belts for Driver, Co-passenger. 5.reverse camera 6. Company Fitted Allow Wheel 7.Air Conditioning 8.Company Fitted Touch Screen	
16.	Instructions	All sign instructions in the vehicle shall be in English.	
17.	Manuals	One copy of the Operator's and Owner's instructions manual in English shall be supplied.	
18.	Tools	A set of tools as required for general maintenance shall be supplied.	
19.	Color	Standard	
20.	Warranty	Manufacturer shall provide a minimum of one year warranty after acceptance.	
21	Delivery	1 Unit Mahawai Rural Municipality, Kalikot	

Prepared by:-

Mechanical Er.Dipak Bam

9858038841

NEC No.:-2210

chanical Engla



